

# Cliquid 3.4 HotFix 3 Release Notes



---

## Introduction

For information about a previous software version, refer to the document: *Release Notes* that came with that software version.

## New in Cliquid 3.4 HotFix 3

### Enhancements and Fixed Issues

This HotFix includes the fix to the following issue:

- The Cliquid software was unresponsive for an extended period of time when used with the Analyst 1.7.3 software. The Use AnalystLauncher application to start Analyst dialog was shown repeatedly, resulting in a delay of 10 minutes to 30 minutes. (CL-1595)

The Cliquid HotFix 3 includes previous HotFix 2.

## Installation

### Install the HotFix

Prerequisites
<ul style="list-style-type: none"><li>• The Cliquid 3.4 software with HotFix 1 is installed.</li></ul> <hr/> <p><b>Note:</b> This HotFix is compatible with any previous HotFix for the Cliquid 3.4 HotFix 1, and can be installed on computers with or without these HotFixes installed. The previous HotFix is removed silently during installation of this HotFix.</p> <hr/>
<ul style="list-style-type: none"><li>• The Analyst 1.7.3 software is installed.</li></ul>

1. Log on to the computer as a user with Administrator privileges.
2. Stop any acquisitions that are in progress and then deactivate the hardware profile.
3. Close all applications.
4. Download **Cliquid 3.4 HotFix 3** from [sciex.com/software-support/software-downloads](https://sciex.com/software-support/software-downloads).

## Cliquid 3.4 HotFix 3 Release Notes

---

**Tip!** To prevent potential installation issues, save the file to a location other than the computer desktop and then disconnect any external USB storage devices before starting the installation.

---

5. After the download is complete, right-click the `Cliquid3.4HF3.zip` file.
6. Click **Extract All**, browse to and select the destination folder, and then click **Extract**.
7. After the extraction is complete, browse to the extracted folder, and then double-click the `Cliquid_3.4_HotFix3.exe` file.
8. Follow the on-screen instructions to complete the installation.
9. After the installation is complete, do this to make sure that the HotFix is installed:
  - a. Open Control Panel and then click **Programs and Features**.
  - b. Make sure that **Cliquid 3.4 HotFix 3** is shown in the list of programs.
  - c. Close Control Panel.

## Remove the HotFix

Remove the HotFix before removing the Cliquid software.

1. Log on to the computer as a user with Administrator privileges.
2. Close all applications.
3. Open Control Panel and then click **Programs and Features**.
4. Select **Cliquid 3.4 HotFix 3** and then click **Uninstall**.
5. Follow the on-screen instructions.

The HotFix is removed from the program list, and any files that were changed by the HotFix are reverted to the original Cliquid 3.4 HotFix 1 version.

---

**Note:** Any previous HotFix that was removed during installation of the Cliquid 3.4 HotFix 3 is not restored. It must be installed again after HotFix 3 is removed. The Analyst 1.7.3 software must be downgraded to the Analyst 1.7.2 software to make sure that the Cliquid 3.4 software operates properly.

---

6. Close Control Panel.

## Downgrade to Previous Versions of the Software

For help on downgrading from Cliquid 3.4 HotFix 3 to the Cliquid 3.4 software, contact [sciex.com/request-support](https://sciex.com/request-support).

## Updated Files

The Cliquid 3.4 HotFix 3 updates the following files in the folders:

**C:\Program Files (x86)\AB SCIEX\Cliquid\Client**

- Cliquid.exe
- Cliquid.Resources.dll

**C:\Program Files (x86)\AB SCIEX\Cliquid\Server**

- Analyst.reg
- Tech.reg

## Known Issues and Limitations

- N/A

## Contact Us

### Customer Training

- In North America: [NA.CustomerTraining@sciex.com](mailto:NA.CustomerTraining@sciex.com)
- In Europe: [Europe.CustomerTraining@sciex.com](mailto:Europe.CustomerTraining@sciex.com)
- Outside the EU and North America, visit [sciex.com/education](https://sciex.com/education) for contact information.

### Online Learning Center

- [SCIEX Now Learning Hub](#)

## SCIEX Support

SCIEX and its representatives maintain a staff of fully-trained service and technical specialists located throughout the world. They can answer questions about the system or any technical issues that might arise. For more information, visit the SCIEX website at [sciex.com](https://sciex.com) or contact us in one of the following ways:

- [sciex.com/contact-us](https://sciex.com/contact-us)
- [sciex.com/request-support](https://sciex.com/request-support)

### CyberSecurity

For the latest guidance on cybersecurity for SCIEX products, visit [sciex.com/productsecurity](https://sciex.com/productsecurity).

### Documentation

This version of the document supercedes all previous versions of this document.

To view this document electronically, Adobe Acrobat Reader is required. To download the latest version, go to <https://get.adobe.com/reader>.

To find software product documentation, refer to the release notes or software installation guide that comes with the software.

The latest versions of the documentation are available on the SCIEX website, at [sciex.com/customer-documents](https://sciex.com/customer-documents).

---

**Note:** To request a free, printed version of this document, contact [sciex.com/contact-us](https://sciex.com/contact-us).

---

---

This document is provided to customers who have purchased SCIEX equipment to use in the operation of such SCIEX equipment. This document is copyright protected and any reproduction of this document or any part of this document is strictly prohibited, except as SCIEX may authorize in writing.

Software that may be described in this document is furnished under a license agreement. It is against the law to copy, modify, or distribute the software on any medium, except as specifically allowed in the license agreement. Furthermore, the license agreement may prohibit the software from being disassembled, reverse engineered, or decompiled for any purpose. Warranties are as stated therein.

Portions of this document may make reference to other manufacturers and/or their products, which may contain parts whose names are registered as trademarks and/or function as trademarks of their respective owners. Any such use is intended only to designate those manufacturers' products as supplied by SCIEX for incorporation into its equipment and does not imply any right and/or license to use or permit others to use such manufacturers' and/or their product names as trademarks.

SCIEX warranties are limited to those express warranties provided at the time of sale or license of its products and are the sole and exclusive representations, warranties, and obligations of SCIEX. SCIEX makes no other warranty of any kind whatsoever, expressed or implied, including without limitation, warranties of merchantability or fitness for a particular purpose, whether arising from a statute or otherwise in law or from a course of dealing or usage of trade, all of which are expressly disclaimed, and assumes no responsibility or contingent liability, including indirect or consequential damages, for any use by the purchaser or for any adverse circumstances arising therefrom.

(GEN-IDV-09-10816-D)

For Research Use Only. Not for use in Diagnostic Procedures.

Trademarks and/or registered trademarks mentioned herein, including associated logos, are the property of AB Sciex Pte. Ltd., or their respective owners, in the United States and/or certain other countries (see [sciex.com/trademarks](https://sciex.com/trademarks)).

AB Sciex™ is being used under license.

© 2022 DH Tech. Dev. Pte. Ltd.



AB Sciex Pte. Ltd.  
Blk33, #04-06 Marsiling Industrial Estate Road 3  
Woodlands Central Industrial Estate, Singapore 739256